

## **AMENDMENTS TO THE CLAIMS**

The following claim set replaces all prior versions, and listings, of claims in the application:

1 – 31. (cancelled)

32. (currently amended) A shaped article molded from a polyacetal resin composition comprising:

- (i) a polyacetal resin,
- (ii) a glyoxyldiureide compound, and
- (iii) a basic nitrogen-containing compound, an antioxidant or a combination of the nitrogen-containing compound and the antioxidant wherein the proportion of the glyoxyldiureide compound is 0.03 to 5 parts by weight, the proportion of the basic nitrogen-containing compound is 0.03 to 5 parts by weight, and the proportion of the antioxidant is 0.05 to 2.5 parts by weight relative to 100 parts by weight of the polyacetal resin, and wherein

~~the shaped article is a motor vehicle part and~~ the emission of formaldehyde ~~therefrom~~ from the shaped article after standing in a closed space for 24 hours at a temperature of 80°C is not greater than 1.5 µg per cm<sup>2</sup> surface area of the article; and wherein

the shaped article is a motor vehicle part selected from the group consisting of a vehicle inner handle, a vehicle fuel trunk opener, a vehicle seat buckle, a vehicle assist lap part, a vehicle switch, a vehicle knob, a vehicle lever, a vehicle clip, a vehicle audio equipment part, a vehicle navigation part, a vehicle window regulator carrier plate, a vehicle door lock actuator part, a vehicle mirror part, a vehicle wiper motor system part, and a vehicle fuel system part.

33. (previously presented) The shaped article of polyacetal resin according to Claim 32, the emission of formaldehyde after standing for 3 hours in a closed space of saturated humidity at a temperature of 60°C is not greater than 2.5 µg per cm<sup>2</sup> surface area of the article.

34. (cancelled)

35. (previously presented) The shaped article of polyacetal resin according to Claim 32, wherein the glyoxyldiureide compound is glyoxyldiureide, a glyoxyldiureide derivative or a metal salt thereof, and the basic nitrogen-containing compound is combined with the glyoxyldiureide or the glyoxyldiureide derivative selected from the group consisting of glyoxyldiureide, C<sub>1-4</sub> alkyl-substituted glyoxyldiureide, aryl-substituted glyoxyldiureide, and the reaction product of glyoxyldiureide with an amino or imino group-containing compound.

36. (previously presented) The shaped article of polyacetal resin according to Claim 32, wherein the glyoxyldiureide compound is a salt of glyoxyldiureide with at least one metal selected from the group consisting of alkali metals, alkaline earth metals, and metals of Group 1B, Group 2B, Group 3B, Group 4B, and Group 8 of Periodic Table of the Elements.

37. (previously presented) The shaped article of polyacetal resin according to Claim 32, wherein the glyoxyldiureide compound is aluminum dihydroxy allantoinate.

38. (previously presented) The shaped article of polyacetal resin according to Claim 32, containing the glyoxyldiureide compound in a proportion of 0.05 to 2.5 parts by weight relative to 100 parts by weight of the polyacetal resin.

39. (previously presented) The shaped article of polyacetal resin according to Claim 32, wherein the basic nitrogen-containing compound is melamine, melamine resin, polyacrylamide or polyamide resin.

40. (previously presented) The shaped article of polyacetal resin according to Claim 32, wherein the weight ratio of said glyoxyldiureide compound and said basic nitrogen-containing compound is such that former/latter is 0.5 to 10, and the weight ratio of said glyoxyldiureide compound and said antioxidant is such that former/latter is 0.5 through 10.

41. (previously presented) The shaped article of polyacetal resin according to Claim 32, comprising at least one glyoxyldiureide compound selected from the group consisting of glyoxyldiureide, a glyoxyldiureide derivative and a metal salt thereof, and at least one member selected from the group consisting of an antioxidant and a basic nitrogen-containing compound, wherein said basic nitrogen-containing compound is at least one member selected from the group consisting of melamine, melamine resin, polyacrylamide and polyamide resin.

42. (previously presented) The shaped article of polyacetal resin according to Claim 41, wherein the metal salt of glyoxyldiureide or its derivative is a bi- through tetravalent metal salt.

43. (previously presented) The shaped article of polyacetal resin according to Claim 41, wherein the glyoxyldiureide or its derivative is at least one member selected from the group consisting of glyoxyldiureide, C<sub>1-4</sub> alkyl-substituted glyoxyldiureide, aryl-substituted glyoxyldiureide, and the reaction product of glyoxyldiureide with an amino or imino group-containing compound.